

FEB 0 8 2002 with Claims

- 1. (Amended) A composite bubble-pack assembly comprising
  - thermoplastic film having a plurality of portions wherein each of said portions defines a cavity and a second thermoplastic film in sealed engagement with said first film to provide a plurality of closed said cavities;
  - (ii) a second bubble-pack having a third
    thermoplastic film having a plurality of
    portions wherein each of said portions defines a
    cavity and a fourth thermoplastic film in sealed
    engagement with said third film to provide a
    plurality of closed said cavities; and
  - (iii) a film selected from a thin foil of metal or a
     metallized thermoplastic film interposed
     between and bonded to said first bubble-pack
     and said second bubble-pack.
- 2. A composite bubble-pack as defined in claim 1 wherein said metal or metallized thermoplastic is a laminate layer interposed between a pair of polyethylene films to constitute a laminate interposed between and bonded to said first bubble-pack and said second bubble-pack.

- A composite bubble-pack assembly as defined in claim 1 wherein said metal is aluminum.
- 4. (Amended) A composite bubble-pack assembly as defined in claim 1 wherein at least one of said first, second, third and fourth films is formed of a thermoplastic selected from the group consisting of a low density polyethylene, a linear low density polyethylene and a nylon.
- 5. A composite bubble-pack assembly as defined in claim 1 having a thickness selected from 0.4 cm to 1.2 cm.